
No.



9000146

TO ALL TO WHOM THESE: PRESENTS: SHALL COME:

Asgrow Seed Company

Manereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-LUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT ETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT T. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'A2396'

In Testimony Wilhercot, I have hereunto set my hand and caused the seal of the Eläxt Variety Protection Office to be affixed at the City of Washington, D.C. 31st day of August the year of our Lord one thousand nine

hundred and ninety-two.

Sward Mxdigin

Plant Variety Protection Office Agricultural Marketing Service Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

U.S. DEPARTMENT OF A AGRICULTURAL MARKE	AGRICULTURE TING SERVICE		Application is required in order to determine it a plant variety protection
APPLICATION FOR PLANT VARIET		CERTIFICATE	cedificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).
NAME OF APPLICANT(S) (as it is to appear on the Certificate)		TEMPORARY DESIGNATION OR EXPERIMENTAL NO.	3. VARIETY NAME
Asgrow Seed Company		XP2396	A2396
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)	•	5. PHONE (Include area code)	FOR OFFICIAL USE ONLY
Gull Road, Bldg. 190			PVPO NUMBER
Kalamazoo, MI 49001		(616)384-2352	9000146
,		(020)00 / 2002	F Date
•			apr. 12,1990
6 GENUS AND SPECIES NAME	7. FAMILY NAME (Bolan	içal)	N Time(
Glycine max.	Legumi	nosae	G A.M. P.M F Filing and Examination Fee:
8. CROP KIND NAME (Common Name)	9.	DATE OF DETERMINATION	: 2/50
Soybean		September, 1985	S Date
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORG	ANIZATION (Corporation, pa	rtnership, association, etc.)	1 Repril 9, 1990
Corporation			C Certificate Fee:
11. IF INCORPORATED, GIVE STATE OF INCORPORATION	12. 0	ATE OF INCORPORATION	V Date
Delaware		March 22, 1968	5 Mar. 6,1992
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, T			
Steve Hawkins 9638-190-	23		
Asgrow Seed Company			
Gull Road, Bldg. 190		PHONE (Include area co	dol: (616) 384-2352
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (F	offow INSTRUCTIONS on rev	erse)	(010) 304 2332
a. X Exhibit A Origin and Breeding History of the Variety.			
b. X Exhibit B, Novelty Statement.	•		
c. X Exhibit C, Objective Description of Variety. d X Exhibit D, Additional Description of Variety.			
e X Exhibit E, Statement of the Basis of Applicant's Owner	ship.		
Seed Sample (2,500 viable untreated seeds). Date Sec.	ed Sample mailed to Plan	t Variety Protection Office	 .
g. X Filing and Examination Fee (\$2,150) made payable to			
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE Protection Act.) YES (If "YES," answer items 16 and 17		iLY AS A CLASS OF CERTIFIED SEED? ("NO," skip to item 18 below)	See section 83(a) of the Plant Variety
16 DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED A		TO ITEM 16, WHICH CLASSES OF PROE	DUCTION BEYOND BREEDER SEED?
NUMBER OF GENERATIONS?	! _	_	STERED CERTIFIED
L YES L NO		OUNDATION	
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE	VARIETY IN THE U.S.?		
YES (If "YES," Ihrough Plant Variety Protection Act	Patent Act. Give	date)	
Х ио			
19 HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, O	R MARKETED IN THE U.S. O	R OTHER COUNTRIES?	
YES (II "YES," give names of countries and dates)			
X NO		•	
20. The applicant(s) declare(s) that a viable sample of basic	and of this variety w	vill be furnished with the applica	tion and will be replenished upon
request in accordance with such regulations as may be a	pplicable.		
The undersigned applicant(s) is (are) the owner(s) of the uniform, and stable as required in section 41, and is entitle.	itled to protection unde	r the provisions of section 42 of th	ve(s) that the variety is distinct, e Plant Variety Protection Act.
Applicant(s) is (are) informed that false representation l	nerein can jeopardize p	rotection and result in penalties.	
SIGNATURE OF APPLICANT [Owner(s)]	CAPACITY	OR TITLE	DATE
XI m/l V	(b	AN PRODUCT MANA	10 2 /27 Km
SIGNATURE OF APPLICANT (Owner(s))	CAPACITY	PSYN [K.C.] (ICI / IVAH)/HA DR TITLE	DATE

EXHIBIT A

ORIGIN AND BREEDING HISTORY OF A2396

1983	J83925	Cross	was	made.	

Parentage: CM214 * A2943

- 1983-84 J83925 F1 and F2 generations advanced at Isabela, Puerto (winter) Rico.
- J83925 F3 generation advanced in Ames, Iowa. One hundred forty-four plants were selected from the bulk population and threshed individually.
- 1984-85 Individual plants of J83925 were screened in the (winter) greenhouse for Race 1 phytophthora root rot, susceptibles were discarded.
- J83925 F4 single plants were evaluated as F5-derived lines in progeny rows. J83925 J85-15786 was selected for its uniformity, and standability. This row was harvested in bulk and seeds were checked and verified for uniform seed coat luster and hilum color.

It was in September, 1985, that J83925 J85-15786 was determined to be a stable and unique line.

- J83925 J85-15786 was entered in yield trials at three locations in Iowa. It was selected for its yield, uniformity and standability.
- J83925 J85-15786 was entered in yield tests which were grown at nine midwest locations. It finished first out of 50 entries in the test, and was selected for its yield, uniformity and standability.
- J83925 J85-15796 was entered in yield tests which were grown at 20 locations through out the midwest. It finished first out of 20 entries in the test, and was selected for its yield, uniformity and standability.

J83925 J85-15786 was given the maturity designation XP2396.

Breeder seed was produced.

Exhibit A continued ...

1989 XP2396 was nominated for release and full production and assigned the designation A2396.

Foundation seed of A2396 was produced near Perry, Iowa.

A2396 is uniform and stable within commercially acceptable limits based on trail observations since its development in 1985. As with other soybean varieties, variants can occur for almost any characteristic during the course of repeated sexual reproduction.

EXHIBIT B

Novelty Statement Concerning A2396 Soybean

To our knowledge the soybean varieties that most closely resemble A2396 are: A2943, AP2190, AP2324, CX265

Characteristics which differentiate A2396 include, but are not necessarily restricted to, the following:

1. Peroxidase Activity

A2396 = Low A2943 = High AP2190 = High AP2324 = Low

2. Reaction to race 1 of <u>Phytophthora megasperma</u> Drechs. f. sp. <u>glycinea</u>

A2396 = Resistant CX265 = Susceptible AP2324 = Susceptible U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME	
Asgrow Seed Company	XP2396	A2396	
		FOR OFFICIAL USE ONLY	
Gull Road, Bldg. 190 Kalamazoo, MI 49001		900146	
in your answer is fewer than the number of boxes provid Starred characters ** are considered fundamental to an ac	ed, place a zero in the first box w	hen number is 9 or less (e.g., [0] 9]).
2 L L 1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)	T T 2 = Spherical Flattened	L/W ratio > 1.2; L/T ratio = < 1.2)	
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2)	
2. SEED COAT COLOR: (Mature Seed)			
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	Specify)	•
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)			
A 2396 A 2396 A 2396 DORRES (Street and No. or R.F.D. No., City, State, and Zip Code) Gull Road, Bldg. 190 Kalamazoo, MI 49001 Roose the appropriate response which characterizes the variety in the features described below. When the number of significant digits your answer is fewer than the number of boxes provided, place a zero in the first box when number is 9 or less (e.g., [0] 9]). arred characters Aze considered fundamental to an adequate soybean variety description. Other characters should be described then information is available. SEED SHAPE:			
4. SEED SIZE: (Mature Seed)			ificant digits 9). escribed
1 5 Grams per 100 seeds			
5. HILUM COLOR: (Mature Seed)	se the appropriate response which characterizes the variety in the features described below. When the number of significant digits are answer is fewer than the number of boxes provided, place a zero in the first box when number is 9 or less (e.g., □ 9). de characters ★ are considered fundamental to an adequate soybean variety description. Other characters should be described information is available. ED SHAPE:		
5 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Bla	ck 6 = Black 7 = Other (Specify	r)
6. COTYLEDON COLOR: (Mature Seed)			
1 = Yellow 2 = Green	ASgrow Seed Company ASgrow Seed Seed Company ASgrow Seed Company ASgrow Seed Seed Company ASgrow Seed Company		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		A2396 A2396 FOR OFFICIAL USE ONLY PVPO NUMBER 9000146 Ty in the features described below. When the number of significant digits ace a zero in the first box when number is 9 or less (e.g., 09). the soybean variety description. Other characters should be described 1 2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2) 4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2) 4 = Black 5 = Other (Specify) Gasoy 17') Foray 5 = Imperfect Black 6 = Black 7 = Other (Specify)	
1 = Low 2 = High			
8. SEED PROTEIN ELECTROPHORETIC BAND:			
1 = Type A (SP1 ^a) 2 = Type B (SP1	Asgrow Seed Company Asgrow Seed Company XP2396 A2396 ROBERT LICAL USE ONLY FOR OFFICIAL USE ONLY FOR OFFICIA		
9. HYPOCOTYL COLOR:			
3 = Light Purple below cotyledons ('Beeson'; 'Pickett	711)	'Woodworth'; 'Tracy')	
10. LEAFLET SHAPE:			
3 1 = Lanceolate 2 = Oval 3 = O	vate 4 = Other (Specify)		

11.	ĻEAFL	ET SIZE:		
	2	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Medium ('Corsoy 79'; 'Gasoy 17')	
, ,				
12.	LEAF (COLOR:		
	2	1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Medium Green ('Corsoy 79'; 'Braxton	
+ 13	FLOWE	ER COLOR:	ght Green ("Weber"; "York") ght Green ("Grome"; "Tracy") OR: inte 2 = Purple 3 = White with purple throat. In 2 = Brown 3 = Black ICENCE COLOR: ray 2 = Brown (Tawny) Sender ("Essex"; "Amsoy 71") sterminate ("Gnome"; "Braxton") geterminate ("Gnome"; "Braxton") geterminate ("Gnome"; "Braxton") 2 = Semi-Determinate ("Will") ROUP: 10 2 = 00 3 = 0 4 = 1 5 = 11 6 = 111 7 = 1V 8 = V 10 = VII 11 = VIII 12 = IX 13 = X CTION: (Enter 0 = Not Yested; 1 = Susceptible; 2 = Resistant) DISEASES:	
13 TT	2 3 = Dark Green ('Gnome'; 'Tracy') FLOWER COLOR: 2 1 = White 2 = Purple 3 = White with purple throat POD COLOR: 2 1 = Tan 2 = Brown 3 = Black PLANT PUBESCENCE COLOR: 1 1 = Gray 2 = Brown (Tawny) PLANT TYPES: 2 1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 3 = Bushy ('Gnome'; 'Govan') PLANT HABIT: 3 1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 3 = Indeterminate ('Nebsoy'; 'Improved Pelican') MATURITY GROUP: 0 5 1 = 000			
* 14	1			
^ ! ~	2	EAF COLOR: 2		
15	PLANT	DLOR: 1 = Tan		
A 13.	2 1 = Tan 2 = Brown 3 = Black 15. PLANT PUBESCENCE COLOR: 1 1 = Gray 2 = Brown (Tawny) 16. PLANT TYPES: 2 1 = Stender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan') 17. PLANT HABIT: 3 1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican') 8. MATURITY GROUP: 0 5 1 = 000 2 = 00 3 = 0 4 = 1 5 = II 6 = III 7 = IV 8 = V			
in the second	[1]	1 = Gray 2 = Brown (Tawny)		
16.	PLANT	TYPES:	2 = Purple 3 = White with purple throat 2 = Brown 3 = Black DR: 2 = Brown (Tawny) 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton'); 'Govan') nome'; 'Braxton') 2 = Semi-Determinate ('Will') Nebsoy'; 'Improved Pelican') 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V = VII 11 = VIII 12 = IX 13 = X ar 0 = Not Tested; 1 = Susceptible; 2 = Resistant) unthormonas phaseoli var. sojensis) undomonas phaseoli var. sojensis)	
		t = Slender ('Essex'; 'Amsoy 71')	2 = Intermediate ('Amcor'; 'Braxton')	
<u>۔۔۔۔</u>	OL ANT	L'ADIT-	2 = Brown 3 = Black ENCE COLOR: y 2 = Brown (Tawny) ader ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') hy ('Gnome'; 'Govan') erminate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') erminate ('Nebsoy'; 'Improved Pelican') DUP: 2 = 00 3 = 0 4 = 1 5 = 11 6 = 111 7 = 1V 8 = V 10 = VII 11 = VIII 12 = IX 13 = X TION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	
× 17.				
	3			
		3 = Indeterminate ('Nebsoy'; 'Improved Pe	(lican')	
		3 = Indeterminate ('Nebsoy'; 'Improved Pe	lican')	
★ 18.	MATUF	AF COLOR: 2 = Medium Green ("Corsoy 79; Braxton") 3 = Dark Green ("Weber; 'York") 3 = Dark Green ("Gnome; 'Tracy") DWER COLOR: 2 1 = White		
★ 18.	MATUF	DD COLOR: 2		
★ 18.	MATUF	RITY GROUP: 1 = 000	4=1 5=II 6=III	7 = IV 8 = V
	5	RITY GROUP: 1 = 000	4 = I 5 = II 6 = III I 12 = IX 13 = X	7 = IV 8 = V
	DISEAS	SESCENCE COLOR: Gray 2 = Brown (Tawny) PES: Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') Bushy ('Gnome'; 'Govan') BIT: Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') Indeterminate ('Nebsoy'; 'Improved Pelican') GROUP: 000 2 = 00 3 = 0 4 = 1 5 = 11 6 = 111 7 = 1V 8 = V V1 10 = VII 11 = VII! 12 = IX 13 = X EACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) AL DISEASES: cterial Blight (Pseudomonas phaseoli var. sojensis) cterial Blight (Pseudomonas glycinea) difire (Pseudomonas tabaci)		
<u></u>	2 3 = Dark Green ('Gnome'; 'Tracy')			
	DISEAS	RITY GROUP: 1 = 000	4 = I 5 = II 6 = III I 12 = IX 13 = X Susceptible: 2 = Resistant)	Braxton*)
<u></u>	DISEAS BACT	RITY GROUP: 1 = 000	4 = I 5 = II 6 = III I 12 = IX 13 = X Susceptible: 2 = Resistant)	7 = IV 8 = V
★ 19.	DISEAS BACT	RITY GROUP: 1 = 000	4 = I 5 = II 6 = III I 12 = IX 13 = X Susceptible: 2 = Resistant)	7 = IV 8 = V
19. ★ ★	DISEAS BACT	RITY GROUP: 1 = 000	4 = I 5 = II 6 = III I 12 = IX 13 = X Susceptible: 2 = Resistant)	7 = IV 8 = V
19. ★ ★	DISEAS BACT 0 0	RITY GROUP: 1 = 000	4 = I 5 = II 6 = III I 12 = IX 13 = X Susceptible: 2 = Resistant)	7 = IV 8 = V
★ 19. ★ ★ ★	DISEAS BACT 0 0	RITY GROUP: 1 = 000	4 = I 5 = II 6 = III I 12 = IX 13 = X Susceptible: 2 = Resistant)	7 = IV 8 = V
★ 19. ★ ★ ★	DISEAS BACT O O FUNGA O	RITY GROUP: 1 = 000	4 = 1 5 = 11 6 = 111 1 12 = 1X 13 = X Susceptible: 2 = Resistant) ar. sojensis)	
1 9. ★ ★ ★ ★	DISEAS BACT O O FUNGA O	RITY GROUP: 1 = 000	4 = 1 5 = 11 6 = 111 1 12 = 1X 13 = X Susceptible: 2 = Resistant) ar. sojensis)	
1 9. ★ ★ ★ ★	DISEAS BACT O O FUNGA O	RITY GROUP: 1 = 000		
1 9. ★ ★ ★ ★	DISEAS BACT O O FUNGA	RITY GROUP: 1 = 000	4 = I	
1 9. ★ ★ ★ ★	DISEAS BACT 0 0 0 FUNGA 0	RITY GROUP: 1 = 000	4 = I	

19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Res	istant) (Continued)	9000146
FUNGAL DISEASES: (Continued)		
★ 0 Pod and Stem Blight (Diaporthe phaseolorum var; sojae)		
0 Purple Seed Stain (Cercospora kikuchii)		
O Rhizoctonia Root Rot (Rhizoctonia solani)	sia Root Root (Phytophthore megasperme var. sojee) 2 Race 2 1 Race 3 1 Race 4 1 Race 5 0 Race 6 1 Race 7 1 Race 9 2 Other (Specify) Race 10, 11, 13, 16, 17 ES: 1 (Tobacco Ringspot Virus) osaic (Bean Yellow Mosaic Virus) foraic (Cowpes Chlorotic Virus) tele (Soybean Mosaic Virus) SEASES: Cyst Nematode (Heterodera glycines) 0 Race 2 0 Race 3 0 Race 4 0 Other (Specify) matode (Hoploisimus Colombus) Root Knot Nematode (Meloidogyne incagnital) Root Knot Nematode (Meloidogyne Hapla) oot Knot Nematode (Meloidogyne Jenespity): RESPONSES: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) roots on Calcareous Soil recify) ON: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) Bean Beetle (Epilachna varivestis) sat Hopper (Empossca fabae)	
Phytophthora Rot (Phytophthora megasperma var. sojae)		
* 2 Race 1 2 Race 2 1 Race 3 1 F	include Seed Stain (Cercospora kikuchii) hizoctonia Root Rot (Phytophthora megasperma var. sojae) see 1	
Rhizoctonia Root Rot (Rhizoctonia solani) Phytophthora Rot (Phytophthora megasperma var. sojae) 2 Race 1 2 Race 2 1 Race 3 1 Race 4 1 Race 5 0 Race 6 1 Race 7 1 Race 8 1 Race 9 2 Other (Specify) Race 10, 11, 13, 16, 17 VIRAL DISEASES: 0 Bud Blight (Tobacco Ringspot Virus) 1 Yellow Mosaic (Bean Yellow Mosaic Virus) 2 Cowpea Mosaic (Cowpea Chlorotic Virus) 3 Seed Mottle (Bean Pod Mottle Virus) NEMATODE DISEASES: Soybean Cyst Nematode (Heterodera glycines)		
VIRAL DISEASES:		
Bud Blight (Tobacco Ringspot Virus)		
O Yellow Mosaic (Bean Yellow Mosaic Virus)	Race 3	
Cowpea Mosaic (Cowpea Chlorotic Virus)	Race 3	
0 Pod Mottle (Bean Pod Mottle Virus)		
Seed Mottle (Sovbean Mosaic Virus)		
	Bace 4 O Other /Son	ciful
	Tace 4 [U] Other Tope	
Peanut Root Knot Nematode (Meloidogyne arenaria)	1 Race 4 1 Race 5 0 Race 6 1 Race 7	
Reniform Nematode (Rotylenchulus reniformis)		
0 OTHER DISEASE NOT ON FORM (Specify):		
20. DHVSIOLOGICAL RESPONSES: (Enter 0 = Not Testad: 1 = Suscential	1 Race 4 1 Race 5 0 Race 6 1 Race 7 Specify1 Race 10, 11, 13, 16, 17 O Race 4 0 Other (Specify) cognital apia) aria) tible; 2 = Resistant) ABLES THAT SUBMITTED.	
	hytophthors Rot (Phytophthors megasperma var. sojae) sace 1	
iron Chlorosis on Calcareous Son		
	1 Race 4 1 Race 5 0 Race 6 1 Race 7	
	istant)	
Mexican Bean Beetle (Epilachna varivestis)		
0 Potato Leaf Hopper (Empoasca fabae)	.*•	
O Other (Specify)	<u> </u>	
22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT	SUBMITTED.	
CHARACTER NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape A2943	Seed Coat Luster	A2943
Leaf Shape A2943	Seed Size	A2943
Leaf Color A2943	Seed Shape	A2943
Leaf Size AP2190	Seedling Pigmentation	A1937

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF PLANT. DAYS LODGING		CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
	MATURITY	SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	POD
A2396 Submitted	130	1.5	107	9.2	13.7	41.5	22.4	15	
AP2190 Name of Similar Variety	1:30	3.0	102	9.2	13.9	44.3	21.8	19	

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

EXHIBIT D

Additional Description of the Variety

A2396 is a early Maturity Group II cultivar that possesses exceptional yield potential, excellent standability, and outstanding phenotypic appearance.

EXHIBIT E

STATEMENT OF THE BASIS OF APPLICANTS'S OWNERSHIP

A2396 was originated and developed by James E. Miller, Ph.D., an Asgrow plant breeder. By agreement between employee and Asgrow Seed Company, all rights to any invention, discovery, or development made by an employee are assigned to the Company. No rights to such invention, discovery, or development are retained by the employee.